

### According to Regulation (EU) No. 2015/830

# **OLAR PENTA SN 5W40**

#### 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

> Product name **OLAR PENTA SN 5W40**

Internal identification API SN / CF

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses **Engine oil** 

1.3. Details of the supplier of the safety data sheet

> Company name Rchemie International Kimya San. Ve Tic. Ltd. Şti.

Address Tepeören iTOSB Mah. 8. Cad. No:10 Tuzla/istanbul

Tel +90 216 504 61 77

Fax +90 216 504 61 79

www.olarlubricants.com E-mail

#### Hazards Identification 2.

#### 2.1. Classification of the substance or mixture

This material is not hazardous according to regulatory guidelines (see (M)SDS Section 15). None as defined under 29 CFR 1910.1200.

Physical / Chemical hazards No significant hazards.

**Health hazards** High-pressure injection under skin may cause serious damage.

Excessive exposure may result in eye, skin, or respiratory

irritation.

#### 3. Composition/information on ingredients

#### 3.2. Mixtures

Name	CAS#	Concentration*
Distillates (petroleum),	64742-54-7	≥50 - <75
hydrotreated, heavy paraffinic		

**I** +90216 504 61 79



### According to Regulation (EU) No. 2015/830

# **OLAR PENTA SN 5W40**

Base oil - highly refined	Varies	≥25 - <50
Base oil - highly refined	64742-65-0	≥5 - <10

#### First aid measures 4.

#### 4.1. Description of first aid measures

Inhalation Move affected person to fresh air at once. Rinse nose and mouth

with water. Get medical attention if any discomfort continues.

Ingestion Never give anything by mouth to an unconscious person. Do not

induce vomiting. Rinse mouth thorougly with water. Get medical

attention if any discomfort continues.

Skin contact Remove affected person from source of contamination. Remove

> contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if any discomfort continues.

Eye contact Remove any contact lenses and open eyelids wide apart. Continue to

> rinse for at least 15 minutes. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

### 5. Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing

media

Use water fog, foam, dry chemical or carbon dioxide (CO2) to

extinguish flames.

Inappropriate extinguishing media Straight streams of water

#### 5.2. Fire fighting

Fire fighting instructions

Evacuate area. Prevent run-off from fire control or dilution from entering streams, sewers or drinking water supply. Fire-fighters should use standard protective equipment and in enclosed spaces self-contained breathing apparatus (SCBA). Use water spray to cool

fire exposed surfaces and to protect personnel.



## According to Regulation (EU) No. 2015/830

### **OLAR PENTA SN 5W40**

Hazardous combustion products

Incomplete combustion products, Oxides of carbon

#### 6. Accidental release measures

#### 6.1. Notification procedures

Notification procedures In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations.

#### 6.2. Protective measures

measures

**Protective** Avoid contact with spilled material. See Section 5 for fire fighting

information. See the Hazard Identification. See Section 4 for First

Aid Advice. See Section 8 for advice on the minimum requirements for personal protective equipment. Additional protective measures

may be necessary.

#### 6.3. **Environmental precautions**

Large spills Dyke far ahead of liquid spill for later recovery and disposal. Prevent

entry into waterways, sewers, basements or confined areas.

### 7. Handling and storage

#### 7.1. Precautions for safe handling

Usage precautions Avoid spilling. Avoid contact with eyes.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and

well-ventilated place.

#### 8. **Exposure Controls/personal protection**

#### **Exposure limit values** 8.1.

Ingredient name	Exposure limits
Distillates (petroleum), hydrotreated, heavy	ACGIH TLV (United States).



### According to Regulation (EU) No. 2015/830

### **OLAR PENTA SN 5W40**

paraffinic	TWA: 5 mg/m <sup>3</sup> 8 hours. Issued/Revised:
	11/2009 Form: Inhalable fraction
	OSHA PEL (United States).
	TWA: 5 mg/m <sup>3</sup> 8 hours. Issued/Revised:
Base oil - highly refined	6/1993
	ACGIH TLV (United States).
	TWA: 5 mg/m <sup>3</sup> 8 hours. Issued/Revised:
	11/2009 Form: Inhalable fraction
	OSHA PEL (United States).
	TWA: 5 mg/m <sup>3</sup> 8 hours. Issued/Revised:
	6/1993

8.2. **Engineering controls** The level of protection and types of controls necessary will vary depending upon potential exposure conditions.

8.3. Personal protection Personal protective equipment selections vary based on potential

> exposure conditions such as applications, handling practices, concentration and ventilation. Information on the selection of protective equipment for use with this material, as provided below is based upon intended normal usage.

Respiratory protection: If engineering controls do not maintain airborne contaminant

concentrations at a level which is adequate to protect worker health, an approved respirator may be appropriate. Respirator selection, use, and maintenance must be in accordance with regulatory requirements, if applicable. Types of respirators to be considered for this material include: No special requirements under ordinary

conditions of use and with adequate ventilation.

Hand protection: Any specific glove information provided is based on published

literature and glove manufacturer data. Inspect and replace worn or

damaged gloves.

Eye protection: If contact is likely, safety glasses with side shields are recommended.

Page 4 / 9



### According to Regulation (EU) No. 2015/830

### **OLAR PENTA SN 5W40**

Skin and body Any specific clothing information provided is based on published

protection: literature or manufacturer data. The types of clothing to be

considered for this material include: No skin protection is

ordinarily required under normal conditions of use. In accordance with good industrial hygiene practices, precautions should be taken to avoid

skin contact.

Specific hygiene Always observe good personal hygiene measures, such as washing after

measures: handling the material and before eating, drinking, and/or smoking.

8.4. Environmental Comply with applicable environmental regulations limiting discharge to

controls: air, water and soil.

### 9. **Physical and Chemical Properties**

#### 9.1. Information on basic physical and chemical properties

**Appearance** Liquid.

Flash point 210°C

**Bulk density** 0,855 g/cm<sup>3</sup> @15°C (ASTM D 4052)

13,50-15,80 mm<sup>2</sup>/s @ 100°C Viscosity

9.2. Other information

> Other information Not available.

#### 10. Stability and reactivity

10.1. Chemical Stability

Stability Stable at normal ambient temperatures and when used as

recommended. Stable under the prescribed storage conditions.

10.2. Possibility of hazardous reactions



### According to Regulation (EU) No. 2015/830

### **OLAR PENTA SN 5W40**

Possibility of

Will not polymerise.

hazardous reactions

10.3. Conditions to avoid

Conditions to avoid Excessive heat. High energy sources of ignition.

10.4. Incompatible materials

Materials to avoid Strong oxidisers

10.5. Hazardous decomposition products

Hazardous Material does not decompose at ambient temperatures.

decomposition products

### 11. **Toxicological information**

### 11.1. Information on toxicological effects

**Aspiration hazards** 

Name	Result
Distillates (petroleum), hydrotreated, heavy	ASPIRATION HAZARD - Category 1
paraffinic	

Germ cell mutagenicity

Genotoxicity - in vitro Not available.

Not available. Genotoxicity - in vitro

Carcinogenicity

Carcinogenicity Not available.

Reproductive toxicity

Reproductive toxicity

Not available.

- fertility

Reproductive toxicity -

Not available.

development

Page 6 / 9



### According to Regulation (EU) No. 2015/830

### **OLAR PENTA SN 5W40**

Specific target organ toxicity - single exposure

STOT - single exposure Not available.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Not available.

Inhalation No specific health hazards known.

Ingestion May cause discomfort if swallowed.

Skin contact Liquid may irritate skin.

Eye contact May cause temporary eye irritation.

### 12. **Ecological Information**

12.1. Toxicity

**Ecotoxicity** Harmful to aquatic organisms, may cause long-term adverse

effects in the aquatic environment.

12.2. Persistence and degradability

Persistence and degradability

There are no data on the degradability of this product.

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

12.4. Mobility in soil

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB This product does not contain any substances classified as PBT

assessment or vPvB.

12.6. Other adverse effects

Page 7 / 9



### According to Regulation (EU) No. 2015/830

# **OLAR PENTA SN 5W40**

Other adverse effects No information required.

13. Disposal considerations

13.1. Waste treatment methods

Disposal methods Dispose of waste to licensed waste disposal site in accordance with

the requirements of the local Waste Disposal Authority.

Environmental Manager must be informed of all major spillages. Avoid the spillage or runoff entering drains, sewers or watercourses.

14. **Transport information** 

**14.1.** LAND (DOT-TDG) Not Regulated for Land Transport

14.2. **SEA (IMDG)** Not applicable

14.3. AIR (IATA) Not Regulated for Air Transport

### 15. Regulatory information

This material is not considered hazardous according to OSHA HazCom 2012, 29 CFR 1910.1200.

State regulations

Massachusetts None of the components are listed

**New Jersey** The following components are listed: MINERAL OIL (UNTREATED

> and MILDLY TREATED); MINERAL OIL (UNTREATED and MILDLY TREATED); MINERAL OIL (UNTREATED and MILDLY TREATED)

Pennsylvania None of the components are listed.

California Prop. 65 This product contains a chemical known to the State of California to

cause cancer. Nickel; arsenic

This product contains a chemical known to the State of California to

cause birth defects or other reproductive harm. Toluene

This product contains a chemical known to the State of California to

cause cancer and birth defects or other reproductive harm.



# SAFETY DATA SHEET According to Regulation (EU) No. 2015/830 **OLAR PENTA SN 5W40**

Benzene; lead; Cadmium (Non-pyrophoric)

Listed or exempt from listing/notification on the following chemical inventories (May contain substance(s) subject to notification to the EPA Active TSCA inventory prior to import to USA): AICS, CSNN, ENCS, IECSC, KECI, PICCS

#### 16. Other information

Key literature This SDS is prepared based on the information received from the

references and the product raw material.

sources for data

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.